
References

1. E. Wolf, "New theory of partial coherence in the space-frequency domain. Part I: spectra and cross-spectra of steady-state sources," *J. Opt. Soc. Am. A*, Vol. 72, No. 3, pp. 343–351 (1982).
2. E. Wolf, "New theory of partial coherence in the space-frequency domain. Part II: Steady-state fields and higher-order correlations," *J. Opt. Soc. Am. A*, Vol. 3, No. 1, pp. 76–84 (1986).
3. H. Gamo, "Matrix Treatment of Partial Coherence," in: *Progress in Optics III*, Chap. 3, E. Wolf, ed., North-Holland, Amsterdam, pp. 187–332 (1964).
4. L. Mandel and E. Wolf, *Optical Coherence and Quantum Optics*, Cambridge University Press, New York (1995).
5. A. Starikov, "Effective number of degrees of freedom of partially coherent sources," *J. Opt. Soc. Am. A*, Vol. 72, No. 11, pp. 1538–1544 (1982).
6. A. Starikov and E. Wolf, "Coherent-mode representation of Gaussian Schell-model sources and of their radiation fields," *J. Opt. Soc. Am.*, Vol. 72, No. 7, pp. 923–928 (1982).
7. F. Gori, "Collet-Wolf sources and multimode lasers," *Opt. Commun.*, Vol. 34, No. 3, pp. 301–305 (1980).
8. F. Gori, "Mode propagation of the field generated by Collett-Wolf Schell-model sources," *Opt. Commun.*, Vol. 46, No. 3–4, pp. 149–154 (1983).
9. R. Simon, K. Sundar, and N. Mukunda, "Twisted Gaussian Schell-model beams. I. Symmetry structure and normal-mode spectrum," *J. Opt. Soc. Am. A*, Vol. 10, No. 9, pp. 2008–2016 (1993).
10. F. Gori, G. Guattari, and C. Padovani, "Modal expansion for J_0 -correlated Schell-model sources," *Opt. Commun.*, Vol. 64, No. 4, pp. 311–316 (1987).
11. A. Starikov and A. T. Friberg, "One-dimensional Lambertian source and associated coherent-mode representation," *Appl. Opt.*, Vol. 23, No. 23, pp. 4261–4268 (1984).
12. A. Papoulis, *Systems and Transforms with Applications in Optics*, McGraw-Hill, New York (1968).
13. J. W. Goodman, *Introduction to Fourier Optics*, 2d ed., McGraw-Hill, New York (1996).
14. B. J. Thompson, "Image formation with partially coherent light," *Progress in Optics*, E. Wolf, ed., North-Holland, Amsterdam, Vol. 7, pp. 191–202 (1969).
15. M. Schetzen, *The Volterra and Wiener Theories of Non-Linear Systems*, Wiley, New York (1980).
16. V. Volterra, *Theory of Functionals and of Integral and Integro-Differential Equations*, Dover, New York (1959).

17. B. E. A. Saleh, "Optical bilinear transforms: General properties," *Opt. Acta*, Vol. 26, No. 6, pp. 777–799 (1979).
18. J. W. Goodman, *Statistical Optics*, Wiley, New York (1985).
19. E. C. Kintner, "Method for calculation of partially coherent imagery," *Appl. Opt.*, Vol. 17, No. 17, pp. 2747–2753 (1978).
20. S. Subramanian, "Rapid calculation of defocused partially coherent images," *Appl. Opt.*, Vol. 20, No. 10, pp. 1854–1857 (1981).
21. B. E. A. Saleh and M. Rabbani, "Simulation of partially coherent imagery in the space and frequency domains by modal expansions," *Appl. Opt.*, Vol. 21, No. 15, pp. 2770–2777 (1982).
22. R. Martínez-Herrero and P. M. Mejías, "Relation between the expansions of the correlation function at the object and image planes for partially coherent illumination," *Opt. Commun.*, Vol. 37, No. 4, pp. 234–238 (1981).
23. J. Duvernoy, "Volterra-Wiener partially coherent imaging systems: Three-dimensional objects and generalized G functionals," *J. Opt. Soc. Am. A*, Vol. 7, No. 5, pp. 809–819 (1990).
24. J. van der Gracht, "Simulation of partially coherent imaging by outer-product expansion," *Appl. Opt.*, Vol. 33, No. 17, pp. 3725–3731 (1994).
25. S. Withington, M. P. Hobson, and R. H. Berry, "Representing the behavior of partially coherent optical systems by using overcomplete basis sets," *J. Opt. Soc. Am. A*, Vol. 21, No. 2, pp. 207–217 (2004).
26. A. S. Ostrovsky, O. Ramos-Romero, and M. V. Rodríguez-Solís, "Coherent-mode representation of partially coherent imagery," *Opt. Rev.*, Vol. 3, No. 6B, pp. 492–496 (1996).
27. A. S. Ostrovsky, O. Ramos-Romero, and G. Martínez-Niconoff, "Fast algorithm for bilinear transforms in optics," *Proc. SPIE*, Vol. 4418, pp. 88–95 (2000).
28. A. S. Ostrovsky, G. Martínez-Niconoff, and J. C. Ramírez-San-Juan, "On the modal representation of partially coherent imagery," *Proc. SPIE*, Vol. 4419, pp. 431–434 (2001).
29. A. S. Ostrovsky, O. Ramos-Romero, G. Martínez-Niconoff, and J. C. Ramírez-San-Juan, "On the modal representation of partially coherent imagery," *Rev. Mex. Fís.*, Vol. 47, No. 5, pp. 404–407 (2001).
30. A. S. Ostrovsky, O. Ramos-Romero, G. Martínez-Niconoff, and J. C. Ramírez-San-Juan, "Modal theory of partially coherent imagery," *Proc. SPIE*, Vol. 4436, pp. 109–115 (2001).
31. A. S. Ostrovsky, O. Ramos-Romero, and G. Martínez-Niconoff, "Fast algorithm for bilinear transforms in optics," *Rev. Mex. Fís.*, Vol. 48, No. 3, pp. 186–191 (2002).
32. A. S. Ostrovsky, O. Ramos-Romero, G. Martínez-Niconoff, and J. C. Ramírez-San-Juan, "Fast algorithm for computer simulation of optical systems with partially coherent illumination," *WSEAS Trans. on Syst.*, Vol. 1, No. 1, pp. 149–153 (2002).

33. J. Durnin, "Exact solutions for nondiffracting beams. I. The scalar theory," *J. Opt. Soc. Am. A*, Vol. 4, No. 4, pp. 651–654 (1987).
34. F. Gori and G. Guattari, "Bessel-Gaussian beams," *Opt. Commun.*, Vol. 64, No. 6, pp. 491–495 (1987).
35. J. Durnin, J. J. Miceli, Jr., and J. H. Eberly, "Comparison of Bessel and Gaussian beams," *Opt. Lett.*, Vol. 13, No. 2, pp. 79–80 (1988).
36. G. Indebetouw, "Nondiffracting optical fields: some remarks on their analysis and synthesis," *J. Opt. Soc. Am. A*, Vol. 6, No. 1, pp. 150–152 (1989).
37. A. B. Valyaev and S. G. Krivoshlykov, "Mode properties of Bessel beams," *Sov. J. Quantum Electron.*, Vol. 19, pp. 679–680 (1989).
38. L. Vicari, "Truncation of non-diffracting beams," *Opt. Commun.*, Vol. 70, No. 4, pp. 263–266 (1989).
39. J. Ojeda-Castañeda and A. Noyola-Iglesias, "Nondiffracting wave fields in GRIN and free-space," *Microwave and Opt. Techn. Lett.*, Vol. 3, No. 12, pp. 430–433 (1990).
40. F. Bloisi and L. Vicari, "Comparison of nondiffracting laser beams," *Opt. Commun.*, Vol. 75, No. 5–6, pp. 353–357 (1990).
41. P. Szwaykowski and J. Ojeda-Castañeda, "Nondiffracting beams and the self-imaging phenomenon," *Opt. Commun.*, Vol. 83, No. 12, pp. 1–4 (1991).
42. S. R. Mishra, "A vector wave analysis of a Bessel beam," *Opt. Commun.*, Vol. 85, No. 2–3, pp. 159–161 (1991).
43. Z. Bouchal and M. Olivík, "Non-diffractive vector Bessel beams," *J. Modern Opt.*, Vol. 21, No. 8, pp. 1555–1566 (1995).
44. D. G. Hall, "Vector-beam solutions of Maxwell's wave equation," *Opt. Lett.*, Vol. 21, No. 1, pp. 9–11 (1996).
45. V. Kettunen and J. Turunen, "Propagation-invariant spot arrays," *Opt. Lett.*, Vol. 23, No. 16, pp. 1247–1249 (1998).
46. S. Chávez-Cerda and M. A. Meneses-Nava, "Interference of traveling non-diffracting beams," *Opt. Lett.*, Vol. 23, No. 24, pp. 1871–1873 (1998).
47. R. Piestun and J. Shamir, "Generalized propagation-invariant wave fields," *J. Opt. Soc. Am. A*, Vol. 15, No. 12, pp. 3039–3044 (1998).
48. J. C. Gutiérrez-Vega, M. D. Iturbe-Castillo, and S. Chávez-Cerda, "Alternative formulation for invariant optical fields: Mathieu beams," *Opt. Lett.*, Vol. 25, No. 20, pp. 1493–1495 (2000).
49. S. Chávez-Cerda and G. H. C. New, "Evolution of focused Hankel waves and Bessel beams," *Opt. Commun.*, Vol. 181, No. 4–6, pp. 369–377 (2000).
50. J. Durnin, J. J. Miceli, Jr., and J. H. Eberly, "Diffraction-free beams," *Phys. Rev. Lett.*, Vol. 58, No. 14, pp. 1499–1501 (1987).
51. J. Turunen, A. Vasara, and A. T. Friberg, "Holographic generation of diffraction-free beams," *Appl. Opt.*, Vol. 27, No. 19, pp. 3959–3962 (1988).
52. A. Vasara, J. Turunen, and A. T. Friberg, "General diffraction-free beams produced by computer-generated holograms," *Proc. SPIE*, Vol. 311, pp. 85–89 (1989).

53. A. Vasara, J. Turunen, and A. T. Friberg, "Realization of general nondiffracting beams with computer-generated holograms," *J. Opt. Soc. Am. A*, Vol. 6, No. 11, pp. 1748–1754 (1989).
54. G. Scott and N. McArdle, "Efficient generation of nearly diffraction-free beams using an axicon," *Opt. Eng.*, Vol. 31, No. 12, pp. 2641–2643 (1992).
55. R. M. Herman and T. A. Wiggins, "Production and uses of diffractionless beams," *J. Opt. Soc. Am. A*, Vol. 8, No. 6, pp. 932–942 (1991).
56. J. Rogel-Salazar, G. H. C. New, and S. Chávez-Cerda, "Bessel-Gaussian beam optical resonator," *Opt. Commun.*, Vol. 190, No. 1–3, pp. 117–122 (2001).
57. G. Häusler and W. Heckel, "Light sectioning with large depth and high resolution," *Appl. Opt.*, Vol. 27, No. 24, pp. 5165–5169 (1988).
58. M. Florjanczyk and R. Tremblay, "Guiding of atoms in traveling-wave laser trap formed by axicon," *Opt. Commun.*, Vol. 73, No. 6, pp. 448–450 (1989).
59. K. M. Iftexharuddin and M. A. Karim, "Heterodyne detection by using a diffraction-free beam: tilt and offset effects," *Appl. Opt.*, Vol. 31, No. 23, pp. 4853–4856 (1992).
60. J.-Y. Lu and J. F. Greenleaf, "Nondiffracting X waves-exact solutions of free-space scalar wave equation and their finite aperture realizations," *IEEE Transactions on Ultrasonics, Ferroelectrics and Frequency Control*, Vol. 39, No. 1, pp. 19–31 (1992).
61. Y. Ohtsuka, Y. Nozoe, and Y. Imai, "Acoustically modified spatial coherence in optical Fresnel diffraction region," *Opt. Commun.*, Vol. 35, No. 2, pp. 157–160 (1980).
62. Y. Ohtsuka, "Non-modified propagation of optical mutual intensity in the Fresnel diffraction region," *Opt. Commun.*, Vol. 39, No. 5, pp. 283–286 (1981).
63. J. Turunen, A. Vasara, and A. T. Friberg, "Propagation invariance and self-imaging in variable-coherence optics," *J. Opt. Soc. Am. A*, Vol. 8, No. 2, pp. 282–289 (1990).
64. A. S. Ostrovsky, G. Martínez-Niconoff, and J. C. Ramírez-San-Juan, "Coherent-mode representation of propagation-invariant fields," *Opt. Commun.*, Vol. 195, No. 1–4, pp. 27–34 (2001).
65. A. S. Ostrovsky, G. Martínez-Niconoff, and J. C. Ramírez-San-Juan, "Coherent-mode structure of propagation-invariant fields," *Proc. SPIE*, Vol. 4419, pp. 427–430 (2001).
66. A. S. Ostrovsky, G. Martínez-Niconoff, and J. C. Ramírez-San-Juan, "Exact solutions for coherent modes of propagation-invariant optical fields," *WSEAS Trans. on Systems*, Vol. 1, pp. 144–149 (2002).
67. A. S. Ostrovsky, G. Martínez-Niconoff, and J. C. Ramírez-San-Juan, "Generation of light string and light capillary beams," *Opt. Commun.*, Vol. 207, No. 1–6, pp. 131–138 (2002).
68. A. S. Ostrovsky, G. Martínez-Niconoff, and J. C. Ramírez-San-Juan, "Propagation-invariant fields of the third kind," *Proc. SPIE*, Vol. 4829, pp. 253–255 (2003).

69. A. S. Ostrovsky, G. Martínez-Niconoff, and J. C. Ramírez-San-Juan, "Generation of light string and light capillary beams," *Proc. SPIE*, Vol. 4829, pp. 255–257 (2003).
70. A. S. Ostrovsky, G. Martínez-Niconoff, and J. C. Ramírez-San-Juan, "Propagation-invariant fields of the third kind and their optical generation," *J. Opt. A: Pure and Appl. Opt.*, Vol. 5, pp. 276–279 (2003).
71. I. S. Gradshteyn and I. M. Ryzhik, *Table of Integrals, Series, and Products*, 5th ed., Academic Press, New York (1994).
72. G. Arfken, *Mathematical Methods for Physicists*, 5th ed., Academic Press, New York (2001).
73. G. N. Watson, *A Treatise of the Theory of Bessel Functions*, 2d ed., Cambridge University Press, Cambridge (1966).
74. A. S. Ostrovsky and E. Hernández-García, "Modulation of spatial coherence of optical field by means of liquid crystal light modulator," *Rev. Mex. Fís.*, Vol. 51, No. 5, pp. 442–446 (2005).
75. A. Walther, "Radiometry and coherence," *J. Opt. Soc. Am.*, Vol. 58, No. 9, pp. 1256–1259 (1968).
76. Yu. N. Barabanenkov, "On the spectral theory of radiation transport equations," *Sov. Phys. JETP*, Vol. 29, pp. 679–684 (1969).
77. G. V. Rozenberg, "The statistical-electrodynamic content of photometric quantities and the basic concepts of radiation-transfer theory," *Opt. Spectrosc. (USSR)*, Vol. 28, pp. 210–213 (1970).
78. G. I. Ovchinnikov and V. I. Tatarskii, "On the problem of the relationship between coherent theory and the radiation-transfer equation," *Radiophys. Quantum Electron.*, Vol. 15, pp. 1087–1089 (1972).
79. E. W. Marchand and E. Wolf, "Angular correlation and far-zone behavior of partially coherent fields," *J. Opt. Soc. Am.*, Vol. 62, No. 3, pp. 379–385 (1972).
80. A. Walther, "Radiometry and coherence," *J. Opt. Soc. Am.*, Vol. 63, No. 12, pp. 1622–1623 (1973).
81. G. V. Rozenberg, "Coherence, observability and the photometric aspects of beam optics," *Appl. Opt.*, Vol. 12, No. 12, pp. 2855–2862 (1973).
82. E. W. Marchand and E. Wolf, "Radiometry with sources of any state of coherence," *J. Opt. Soc. Am.*, Vol. 64, No. 9, pp. 1219–1226 (1974).
83. E. W. Marchand and E. Wolf, "Walther's definition of generalized radiance," *J. Opt. Soc. Am.*, Vol. 64, No. 9, pp. 1273–1274 (1974).
84. A. Walther, "Reply to Marchand and Wolf," *J. Opt. Soc. Am.*, Vol. 64, No. 9, p. 1275 (1974).
85. W. Carter and E. Wolf, "Coherence properties of Lambertian sources," *J. Opt. Soc. Am.*, Vol. 65, No. 9, pp. 1067–1071 (1975).
86. W. Carter and E. Wolf, "Coherence and radiometry with quasihomogeneous planar sources," *J. Opt. Soc. Am.*, Vol. 67, No. 6, pp. 785–796 (1977).
87. A. S. Marathay, "Radiometry of partially coherent fields I," *Opt. Acta*, Vol. 23, pp. 785–794 (1976).

88. A. S. Marathay, "Radiometry of partially coherent fields II," *Opt. Acta*, Vol. 23, pp. 795–798 (1976).
89. G. V. Rozenberg, "The light ray (Contribution to the theory of the light field)," *Sov. Phys. Usp.*, Vol. 20, pp. 55–79 (1977).
90. E. Collet, J. T. Foley, and E. Wolf, "On an investigation of Tatarskii into the relationship between coherence theory and the theory of radiative transfer," *J. Opt. Soc. Am.*, Vol. 67, No. 4, pp. 465–477 (1977).
91. E. Wolf, "Coherence and radiometry," *J. Opt. Soc. Am.*, Vol. 68, No. 1, pp. 6–17 (1978).
92. E. Wolf, "The radiant intensity from planar sources of any state of coherence," *J. Opt. Soc. Am.*, Vol. 68, No. 11, pp. 1597–1605 (1978).
93. A. T. Friberg, "On the question of the existence of nonradiating primary sources of finite extent," *J. Opt. Soc. Am.*, Vol. 68, No. 11, pp. 1281–1283 (1978).
94. A. Walther, "Propagation of generalized radiance through lenses," *J. Opt. Soc. Am.*, Vol. 68, No. 11, pp. 1606–1610 (1978).
95. H. P. Baltes, J. Geist, and A. Walther, "Radiometry and Coherence," Chap. 5 in *Inverse Source Problems in Optics*, H. P. Baltes, ed., Springer-Verlag, Berlin (1978).
96. A. T. Friberg, "On the existence of a radiance function for finite planar sources of arbitrary state of coherence," *J. Opt. Soc. Am.*, Vol. 69, No. 1, pp. 192–198 (1979).
97. A. T. Friberg, "Radiation from partially coherent sources," *Proc. SPIE*, Vol. 194, pp. 71–83 (1979).
98. A. T. Friberg, "Effects of coherence in radiometry," *Proc. SPIE*, Vol. 194, pp. 55–70 (1979).
99. R. L. Fante, "Relationship between radiative transport theory and Maxwell's equations in dielectric media," *J. Opt. Soc. Am.*, Vol. 71, No. 4, pp. 460–468 (1980).
100. A. T. Friberg, "On the generalized radiance associated with radiation from a quasihomogeneous source," *Opt. Acta*, Vol. 28, pp. 261–277 (1981).
101. W. Carter, "Statistical radiometry," *Radio Sci.*, Vol. 18, p. 144 (1983).
102. R. Martínez-Herrero and P. M. Mejías, "Radiometric definitions of partially coherent sources," *J. Opt. Soc. Am. A*, Vol. 1, No. 5, pp. 556–558 (1984).
103. L. A. Apresyan and Yu. A. Kravtsov, "Photometry and coherence: wave aspects of the theory of radiation transport," *Sov. Phys. Usp.*, Vol. 27, pp. 301–313 (1984).
104. J. T. Foley and M. Nieto-Vesperinas, "Radiance functions that depend nonlinearly on the cross-spectral density," *J. Opt. Soc. Am. A*, Vol. 2, No. 9, pp. 1446–1447 (1985).
105. J. T. Foley and E. Wolf, "Radiometry as a short-wavelength limit of statistical wave theory with globally incoherent sources," *Opt. Commun.*, Vol. 55, No. 4, pp. 236–241 (1985).

106. R. Martínez-Herrero and P. M. Mejías, “Radiometric definitions from second-order coherence characteristics of planar sources,” *J. Opt. Soc. Am. A*, Vol. 3, No. 7, pp. 1055–1058 (1986).
107. A. T. Friberg, “Energy transport in optical system with partially coherent light,” *Appl. Opt.*, Vol. 25, No. 24, pp. 4547–4556 (1986).
108. R. Winston and X. Ning, “Constructing a conserved flux from plane waves,” *J. Opt. Soc. Am. A*, Vol. 3, No. 10, pp. 1629–1631 (1986).
109. M. Nieto-Vesperinas, “Classical radiometry and radiative transfer theory: a short-wavelength limit of a general mapping of cross-spectral densities in second-order coherence theory,” *J. Opt. Soc. Am. A*, Vol. 3, No. 9, pp. 1354–1359 (1986).
110. W. Welford and R. Winston, “Generalized radiance and practical radiometry,” *J. Opt. Soc. Am. A*, Vol. 4, No. 3, pp. 545–547 (1987).
111. G. S. Agarwal, J. T. Foley, and E. Wolf, “The radiance and phase-space representations of the cross-spectral density operator,” *Opt. Commun.*, Vol. 62, No. 2, pp. 67–72 (1987).
112. K. Kim and E. Wolf, “Propagation law for Walther’s first generalized radiance function and its short-wavelength limit with quasihomogeneous sources,” *J. Opt. Soc. Am. A*, Vol. 4, No. 7, pp. 1233–1236 (1987).
113. R. Winston and X. Ning, “Generalized radiance of uniform Lambertian sources,” *J. Opt. Soc. Am. A*, Vol. 5, No. 4, pp. 516–519 (1988).
114. R. Winston, “Analogy between Fresnel diffraction and generalized radiance,” *J. Opt. Soc. Am. A*, Vol. 6, No. 1, pp. 145–149 (1988).
115. H. M. Pedersen, “Exact geometrical theory of free-space radiative energy transfer,” *J. Opt. Soc. Am. A*, Vol. 8, No. 1, pp. 176–185 (1991).
116. H. M. Pedersen, “Propagation of generalized specific intensity in refracting media,” *J. Opt. Soc. Am. A*, Vol. 9, No. 9, pp. 1623–1625 (1992).
117. A. T. Friberg, G. S. Agarwal, J. T. Foley, and E. Wolf, “Statistical wave-theoretical derivation of the free-space transport equation of radiometry,” *J. Opt. Soc. Am. B*, Vol. 9, No. 8, pp. 1386–1393 (1992).
118. R. G. Littlejohn and R. Winston, “Corrections to classical radiometry,” *J. Opt. Soc. Am. A*, Vol. 10, No. 9, pp. 2024–2037 (1993).
119. R. G. Littlejohn and R. Winston, “Generalized radiance and measurements,” *J. Opt. Soc. Am. A*, Vol. 12, No. 12, pp. 2736–2743 (1995).
120. K. Yoshimori and K. Itoh, “An operator method of the theory of optical coherence and radiometry,” *Opt. Rev.*, Vol. 7, No. 1, pp. 34–43 (2000).
121. H. Arimoto, K. Yoshimori, and K. Itoh, “Interferometric three-dimensional imaging based on retrieval of generalized radiance distribution,” *Opt. Rev.*, Vol. 7, No. 1, pp. 25–33 (2000).
122. A. S. Ostrovsky, “Paraxial approximation of modern radiometry for beamlike wave propagation,” *Opt. Rev.*, Vol. 3, No. 2, pp. 83–88 (1996).
123. A. S. Ostrovsky and M. V. Rodríguez-Solís, “Free-space propagation of the generalized radiance defined in terms of the coherent-mode representation of cross-spectral density function,” *Opt. Rev.*, Vol. 7, No. 2, pp. 112–114 (2000).

124. R. W. Boyd, *Radiometry and the Detection of Optical Radiation*, Wiley, New York (1983).
125. S. Chandrasekhar, *Radiative Transfer*, Dover, New York (1960).
126. A. S. Ostrovsky, A. M. Zemliak, and E. Hernández-García, “Alternative coherent-mode representation of a planar source,” *Opt. Commun.*, Vol. 249, pp. 1–6 (2005).

Index to Referenced Authors

- Agarwal, G. S., 111, 117
Apresyan, L. A., 103
Arfken, G., 72
Arimoto, H., 121
- Baltes, H. P., 95
Barabanenkov, Yu. N., 76
Berry, R. H., 25
Bloisi, F., 40
Bouchal, Z., 43
Boyd, R. W., 124
- Carter, W., 85, 86, 101
Chandrasekhar, S., 125
Chávez-Cerda, S., 46, 48, 49, 56
Collett, E., 90
- Durnin, J., 33, 35, 50
Duvernoy, J., 23
- Eberly, J. H., 35, 50
- Fante, R. L., 99
Florjanczyk, M., 58
Foley, J. T., 90, 111, 117
Friberg, A. T., 11, 51–53, 63, 93, 96–98, 100, 117
- Gamo, H., 3
Geist, J., 95
Goodman, J. W., 13, 18
Gori, F., 7, 8, 10, 34
Gradshteyn, I. S., 71
Greenleaf, J. F., 60
Guattari, G., 10, 34
Gutiérrez-Vega, J. C., 48
- Hall, D. G., 44
Häusler, G., 57
Heckel, W., 57
Herman, R. M., 55
Hernández-García, E., 74, 126
Hobson, M. P., 25
- Iftekharuddin, K. M., 59
Imai, Y., 61
Indebetouw, G., 36
Itoh, K., 120, 121
Iturbe-Castillo, M. D., 48
- Karim, M. A., 59
Kettunen, V., 45
Kim, K., 112
Kintner, E. C., 19
Kravtsov, Yu. A., 103
Krivoshlykov, S. G., 37
- Littlejohn, R. G., 118, 119
Lu, J.-Y., 60
- Mandel, L., 4
Marathay, A. S., 87, 88
Marchand, E. W., 79, 82, 83
Martínez-Herrero, R., 22, 102
Martínez-Niconoff, G., 27–32, 64–70
McArdle, N., 54
Mejías, P., 22, 102
Meneses-Nava, M. A., 46
Miceli, Jr., J. J., 35, 50
Mishra, S. R., 42

- New, G. H. C., 49, 56
 Ning, X., 113
 Noyola-Iglesias, A., 39
 Nozoe, Y., 61

 Ohtsuka, Y., 61, 62
 Ojeda-Castañeda, J., 39, 41
 Olivík, M., 43
 Ostrovsky, A. S., 26–32, 64–70, 74, 122, 123, 126
 Ovchinnikov, G. I., 78

 Padovani, C., 10
 Papoulis, A., 12
 Pedersen, H. M., 115, 116
 Piestun, R., 47

 Rabbani, M., 21
 Ramírez-San-Juan, J. C., 28–30, 32, 64–70
 Ramos-Romero, O., 26, 27, 29–32
 Rodríguez-Solís, M. V., 26
 Rogel-Salazar, J., 56
 Rozenberg, G. V., 77, 81, 89
 Ryzhik, I. M., 71

 Saleh, B. E. A., 17, 21
 Schetzen, M., 15
 Scott, G., 54

 Shamir, J., 47
 Simon, R., 9
 Starikov, A., 5, 6, 11
 Subramanian, S., 20
 Sundar, K., 9
 Szwaykowski, P., 41

 Tatarskii, V. I., 78
 Thompson, B. J., 14
 Tremblay, R., 58
 Turunen, J., 45, 51–53, 63

 Valyaev, A. B., 37
 van der Gracht, J., 24
 Vasara, A., 51–53, 63
 Vicari, L., 38, 40
 Volterra, V., 16

 Walther, A., 75, 80, 84, 94, 95
 Watson, G. N., 73
 Wiggins, T. A., 55
 Winston, R., 113, 114, 118, 119
 Withington, S., 25
 Wolf, E., 1, 2, 4, 6, 79, 82, 83, 85, 86, 90–92, 111, 112, 117

 Yoshimori, K., 120, 121

 Zemliak, A. M., 126

Subject Index

A

alternative coherent-mode representation, 63, 65, 68, 71, 73
alternative radiatively equivalent source, 65, 67
amplitude spread function, 19, 25
amplitude transmittance, 16, 43
analytic signal, 1

B

Bessel basis, 68, 69
Bessel beam, 31
Bessel-correlated beam, 39, 44
Bessel-correlated source, 1, 12, 39
bilinear system, 15, 19
bilinear transform, 15, 22

C

characteristic function of a source, 56
classical radiometry, 51, 58, 60
classical theory of optical coherence, 2
coherence theory in the space-frequency domain, 1
coherent-mode representation, ix, 1, 6, 15, 20, 22, 55, 57
 of a field, ix, 1, 6
 of an optical system, ix, 15, 20
 of optical system, 1
 of radiance, 55, 57
 of radiant emittance, 57
 of radiant flux, 57
 of radiant intensity, 57
coherent-mode structure of a field, 5, 29
complete coherence, 1, 6, 15, 23
complete incoherence, 15, 23, 72
coupled Helmholtz equations, 3
cross-correlation function, 1, 8
cross-spectral density function, ix, 2, 7, 8, 11, 12, 20, 53

D

degree of global coherence, 11, 13, 62
Dirac comb function, 25
double-impulse response, 16, 19

E

effective coherence volume, 9
effective number of coherent modes, 9, 23, 62
effective volume of a field, 11
eigenfunctions, 29, 39, 65
eigenvalues, 6, 9, 29

F

far-zone approximation, 55
fast bilinear transform (FBLT) algorithm, 24, 29
Fredholm integral equation of the second kind, 5
free space, 3, 31, 60
fundamental Bessel beam, 31, 38, 44
fundamental law of radiometry, 51, 57

G

Gaussian Schell-model source, 1, 11, 25, 61
generalized radiance, 52, 58, 60
generalized radiant emittance, 52
generalized radiant flux, 52, 55
generalized radiant intensity, 52

H

Hermitian basis, 68
Hermitian symmetry, 2

I

image of an object, 19, 25
impulse response, 15, 19, 22
irradiance, 67

L

Lambertian source, 1, 13, 62, 71
lens law, 19
light capillary beam, 41, 49
light string beam, 41, 44

M

Mercer's expansion, 5
modal object, 21

modal output, 20
 modal radiometric characteristics, 57, 61
 modal system, 21, 28
 mode, 1, 6, 10, 20, 23, 34, 61, 68
 modern radiometry, 51
 mutual coherence function, 2, 3

N

nondiffracting beam, 31, 37
 nonnegative definite function, 2

O

object, 16, 21, 29
 optical signal, 7, 8, 17, 52

P

paraxial approximation, 17, 32, 55
 partial coherence, ix, 1, 22, 27
 power spectrum, 8, 11, 12, 16, 24, 32, 54
 propagation-invariant field, 31, 36–38, 40
 of the first kind, 36, 37
 of the second kind, 36, 38
 of the third kind, 36, 40
 pupil function, 18

R

radiance, 51, 53, 58
 radiant emittance, 51, 62

radiant flux, 51, 53
 radiant intensity, 51, 62
 radiative transfer law, 53, 58
 random process, 1
 Rayleigh's first diffraction formula, 4

S

sample realization, 1
 Schell-model source, 1, 11, 25, 61
 short-wavelength limit, 60
 space-frequency domain, 1
 space-time domain, 2
 spectral degree of coherence, 3, 6, 11
 spectral density, 2, 8, 16, 32, 52, 65
 spectral radiant flux, 51
 square integrability, 2, 66
 stationary in the wide sense, 2

T

twist phase, 12

W

wave equation, 3

About the author



Andrey S. Ostrovsky, born in 1944 in Russia, is at present a resident of Mexico. *Degrees*: M.Sc. in Electrical Engineering, Ph.D. in Technical Cybernetics, D.Sc. in Optics; all of them from the National Technical University of Ukraine. *Titles*: Professor of Technical Cybernetics at the National Technical University of Ukraine, Elected Member of the National Academy of Engineering of Ukraine, National Researcher of Mexico. *Appointments*: Assistant Professor, Professor, Head of Optical Engineering Department, at the National Technical University of Ukraine, 1970–1993; Professor of Physics and Mathematics Department at the Autonomous University of Puebla, Mexico, 1994–present. *Scientific areas*: Fourier optics and optical data processing, statistical optics and coherence theory. *Publications*: More than 100 scientific and technical articles in professional journals and books, 12 patents of Russian Federation. *Tutorships*: 12 Ph.D. and 58 M.Sc. theses. *Memberships*: OSA, Optical Societies of Ukraine, Russia and Mexico.