Index

B-open, 34 PSM, 203W-operator, 230 τ -closing, 36 τ -opening, 35, 119 h-maxima, 146 *h*-minima, 146 v-maxima, 148 4-connected, 45 4-neighbors, 45 8-connected, 45 8-neighbors, 45 addition, 113 algebraic dilation, 16 algebraic erosion, 16 algebraic granulometry, 207 alternating sequential filter, 32 antiextensive, 29, 119 aperture filter, 259 area, 148 area open, 66, 143 **ASF, 32** base, 35, 121 basis, 229 beneath, 93 Boolean function, 227 bound matrix, 2 bounded complement, 18 bounded dilation, 18 bounded erosion, 18 bounded gray-scale dilation, 115 canonical, 232 catchment basins, 164 characteristic function, 230 close top-hat transform, 132 close-open, 32 closing, 27

closing top-hat, 27

closing-of-holes, 56 coarser, 64 complementary, 43 conditional dilation, 52, 136 conditional erosion, 54, 140 conditioning, 52 conjunctive closing, 65 conjunctive granulometry, 212 conjunctive opening, 58, 142 connected, 64, 65 connected components, 46 connected filter, 141 connected opening, 142 connected operator, 64 consistent, 261 cost, 236 differencing filter, 244 digital quench function, 69 digital signals, 97 dilation, 8, 99 discrete granulometric bandpass filter (GBF), 213 discrete granulometric spectrum, 199, 213 discrete image, 2 discrete pattern spectrum, 196 discrete size transform, 199 disjunctive closing, 64 disjunctive granulometry, 210 disjunctive opening, 58, 142 disjunctive-normal-form, 227 disk, 71 distance, 69 distance function, 71 distance transform, 71 dual, 104 dual operator, 15 dynamic, 152

envelope, 255

erosion, 5, 95 Euclidean binary image, 2 Euclidean granulometry, 209 Euclidean property, 209 extensive, 29 external gradient, 129 extinction value, 151 fail set. 213 finer, 64 flat zone, 141 generalization, 236 generator, 193, 209 geodesic disk, 72 geodesic distance, 72 geodesic SKIZ, 171 granulometric moments, 194 granulometric size, 212 granulometric size density, 201 granulometry, 193, 209 graph, 105 gray-scale reconstructive opening, 142 GSD, 201 height, 148 hit-or-miss template, 79 hit-or-miss transform, 79 idempotent, 29, 119 increasing, 104, 228 inf-geodesic reconstruction, 56 inf-reconstruction, 140 influence zones, 169 internal gradient, 129 invariance ordering, 209 invariant, 34 invariant class, 35 inversion set. 239 isopen(A,B), 44 kernel, 229 labeling, 50

Lantuejoul's formula, 68 level components, 148 local granulometric size distribution, 205 local maximum, 147 local minimum, 147 local pattern spectrum, 205 logical granulometry, 212 logical opening, 60 logical structural filter, 61 LSF, 61 MAE, 233 marker, 50 mathematical morphology, 1 maximal disk, 66 maximum, 94 mean size distribution, 201 mean-absolute error, 233 medial axis, 66 metric, 69 minima imposition, 168 minimal representation, 229 minimum, 94 Minkowski addition, 9 Minkowski algebra, 12 Minkowski subtraction, 7 minterm, 227 mmaddm, 115, 125, 154 mmareaclose, 184 mmareaopen, 76, 154, 158, 184 mmasf, 44, 158 mmasfrec, 158 mmbinary, 125 mmcdil, 76, 158 mmcero, 76, 158 mmclohole, 37, 76, 158 mmclose, 44, 125, 184 mmclose(A,B), 27 mmcloserec, 76 mmcloseth, 44, 158 mmcwatershed, 191 mmdil, 19, 20, 22, 37, 125

INDEX

mmdil(A,B), 9 mmdist, 76 mmendpoints, 90, 154 mmero, 19, 20, 22, 125 mmero(A,B), 5mmgdist, 76 mmgradm, 76, 158, 184 mmgray, 154, 184 mmhistogram, 184 mmhmax, 158 mmhmin, 158, 184 mmhomothin, 90 mminfrec, 76, 154, 158 mminpos, 191 mmintersec, 17, 20, 125, 184 mmis, 125 mmlabel, 76 mmlabelflat, 158 mmneg, 17, 19, 20, 125, 184 mmopen, 37, 44, 125 mmopen(A,B), 25 mmopenrec, 76 mmopenrecth, 76 mmopenth, 44, 154, 158 mmopentransf, 220, 222 mmpatspec, 220, 222 mmreadgray, 37, 154, 184 mmregmax, 158 mmregmin, 158 mmropen, 44 mmse2hmt, 90 mmsebox, 37, 154 mmsebox(2), 184mmsecross, 3 mmsedil, 17, 20, 22, 37, 125 mmsedisk, 37, 76 mmsedisk(5), 154 mmseero, 17, 22, 125 mmseintersec, 17 mmseline, 37 mmsereflect, 20, 125 mmseshow, 3, 4

mmsesum, 20 mmsetrans, 17, 20 mmseunion, 17, 20 mmskelm, 76, 90 mmskelmrec, 76 mmskiz, 191 mmsubm, 37, 115, 125, 184 mmsupgen, 90 mmsuprec, 76, 158 mmsurf, 125 mmtext, 22 mmthin, 90, 154, 155 mmthreshad, 154, 184 mmunion, 17, 20, 125, 154, 184 mmvmax, 158 mmwatershed, 184, 191 monotonically increasing, 14 morphological gradient, 48, 129 morphological reconstruction, 50, 137 morphological sup-reconstruction, 140 morphological translation, 93 morphology, 1 MSD, 201 multiresolution filter, 253 multiscale watershed, 178 multiscale watershed at scale s, 178 multivariate granulometry, 209 negation, 95, 113 offset, 93 open top-hat transform, 130 open transform, 199

open with respect to, 34 open-close, 32 opening, 25, 116 opening top-hat, 25 optimal filter, 234 optimal switching set, 240

parallel thickening, 244 parallel thinning, 244 partition, 64

INDEX

pass set, 213 passband, 215 pattern spectrum, 194 positive, 228 primitive catchment basins, 166 pruning, 85 quench function, 67 radial opening, 36 radius, 148 random binary image, 201 reconstructive τ -opening, 142 reconstructive τ -opening, 58 reconstructive closing, 64 reconstructive opening, 56 reconstructive opening top-hat, 57 reconstructive radial opening, 59 reflection, 7, 95 regional maximum, 147 regional minimum, 147 sampled signals, 97 self-dual, 74 size distribution, 193 size-n geodesic dilation, 53 skeletal subset, 68 skeleton, 66 Skeleton by Influence Zones, 169 SKIZ, 169 spectral band, 213 stack filters, 110 stack property, 108 stack reconstruction, 108 standard morphological representation, 232 structuring element, 1 subtraction, 113 sup-geodesic reconstruction, 56 surface, 105 switching set, 239 thickening template, 244

thinning template, 244 threshold decomposition, 108 threshold decomposition property, 263 threshold sets, 108 translation, 4, 91 translation invariant, 14, 103 ultimate erosion, 171 umbra, 105 unit sieve, 209 universally consistent, 261 view, 18 volume, 148 Voronoi diagram, 169 watershed lines, 164 watershed transform, 164

thinning, 83



Edward Dougherty is a professor in the Department of Electrical Engineering at Texas A&M University in College Station. He holds a Ph.D. in Mathematics from Rutgers University and an M.S. in Computer Science from Stevens Institute of Technology. He is author of eleven books and editor of four others. He has published more than 100 journal papers, is an SPIE fellow, and has served as editor of the *Journal of Electronic Imaging* for six years. Prof. Dougherty has contributed extensively to the statistical design of nonlinear operators for image processing and the consequent application of pattern

recognition theory to nonlinear image processing. His current research is focused in genomic signal processing, with the central goal being to model genomic regulatory mechanisms. He is head of the Genomic Signal Processing Laboratory at Texas A&M University.



Roberto A. Lotufo obtained the Electronic Engineering Diploma in 1978 from Instituto Tecnologico de Aeronautica, Brazil; the M.Sc. degree in 1981 from the University of Campinas (UNICAMP), Brazil; and the Ph.D. degree in Electrical Engineering in 1990 from the University of Bristol, U.K. He is a professor in the Department of Computer Engineering and Industrial Automation at the University of Campinas, where he has worked since 1981. His principal interests are in the areas of image processing and analysis, mathematical

morphology, image segmentation, and medical imaging. He is one of the main architects of two morphological toolboxes: MMach for Khoros, and SDC Morphology Toolbox for MATLAB. Prof. Lotufo has published more than 50 refereed conference and journal papers.