

# PROCEEDINGS OF SPIE

## **AOPC 2020: Optical Sensing and Imaging Technology**

**Xiangang Luo**  
**Yadong Jiang**  
**Jin Lu**  
**Dong Liu**  
*Editors*

**25–27 August 2020**  
**Xiamen, China**

*Sponsored by*  
Chinese Society for Optical Engineering (CSOE) (China)

*Technical Sponsor*  
SPIE

*Organized by*  
Chinese Society for Optical Engineering (CSOE) (China)  
Academy of Opto-Electronics of Electronics Technology of China (China)  
Science and Technology on Low-light-level Night Vision Laboratory (China)  
Science and Technology on Electro-Optical Information Security Control (China)

*Published by*  
SPIE

**Volume 11567**

**Part One of Two Parts**

Proceedings of SPIE 0277-786X, V. 11567

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

AOPC 2020: Optical Sensing and Imaging Technology, edited by Xiangang Luo, Yadong Jiang,  
Jin Lu, Dong Liu, Proc. of SPIE Vol. 11567, 1156701 · © 2020 SPIE  
CCC code: 0277-786X/20/\$21 · doi: 10.1117/12.2586014

Proc. of SPIE Vol. 11567 1156701-1

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at [SPIDigitalLibrary.org](http://SPIDigitalLibrary.org).

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *AOPC 2020: Optical Sensing and Imaging Technology*, edited by Xiangang Luo, Yadong Jiang, Jin Lu, Dong Liu, Proceedings of SPIE Vol. 11567 (SPIE, Bellingham, WA, 2020) Seven-digit Article CID Number.

ISSN: 0277-786X  
ISSN: 1996-756X (electronic)

ISBN: 9781510639553  
ISBN: 9781510639560 (electronic)

Published by

**SPIE**

P.O. Box 10, Bellingham, Washington 98227-0010 USA  
Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445  
[SPIE.org](http://SPIE.org)

Copyright © 2020, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$21.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at [copyright.com](http://copyright.com). Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/20/\$21.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL  
LIBRARY**

[SPIDigitalLibrary.org](http://SPIDigitalLibrary.org)

---

**Paper Numbering:** *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

# Contents

## Part One

### OPTICAL SENSING AND IMAGING TECHNOLOGY

---

- 11567 02 **ResDeep convolutional networks for terahertz image semantic segmentation** [11567-1]
- 11567 03 **Optical design of a broadband Offner imaging spectrometer for the asteroid exploration** [11567-2]
- 11567 04 **Analysis of influence factors of surface defects detection on optical components** [11567-3]
- 11567 05 **Decomposition for coherence current of mutual coherence function for stochastic optical field** [11567-4]
- 11567 06 **The study of solar radiation on surface of Mars** [11567-6]
- 11567 07 **Finite element analysis of fiber optic plates in melting pressure** [11567-7]
- 11567 08 **Feasibility study of new real-time three-dimensional imaging technology for spinal surgery navigation** [11567-8]
- 11567 09 **Modeling and measurement analysis of two diffusers' BRDF illuminated with narrow laser beam** [11567-11]
- 11567 0A **Bio-inspired lidar imaging with a non-uniform curved linear array receiving system** [11567-13]
- 11567 0B **Design of large area homogenized light source** [11567-14]
- 11567 0C **In-fibre temperature sensor based on Mach-Zehnder interferometer via dual-mode concentric multilayer-core fibre** [11567-15]
- 11567 0D **Application of reflectance transformation imaging in subtle traces detection of metal surface** [11567-22]
- 11567 0E **A classified denoising method for multi-scale measurement noise from combined visual measurement system** [11567-23]
- 11567 0F **Effect of temperature on frequency-shifted interferometry fiber loop ring-down magnetic field sensing system** [11567-24]
- 11567 0G **Reconstruction method for optical imaging of 3D particle detection** [11567-25]
- 11567 0H **Performance improvement of multi-point photoacoustic spectroscopy gas detection system by power compensation technique and fixed wavelength technique** [11567-27]

- 11567 OI **Multi-scale spatio-temporal context visual tracking algorithm based on target model adaptive update** [11567-28]
- 11567 OJ **Bulk resistance-dependent dynamic range transition of lead silicate glass microchannel plate** [11567-29]
- 11567 OK **A method to determine the parameters of infrared camera in the electron optic tracking system of UAV** [11567-31]
- 11567 OL **Research on stray light suppression of star simulator** [11567-32]
- 11567 OM **Uncertainty for measuring the luminance gain of low light level image intensifier assembly** [11567-33]
- 11567 ON **The method for calculating optical target center of weak contrast collimating image in integrated diagnosis system** [11567-34]
- 11567 OO **An adaptive method to correct the non-uniform illumination of images** [11567-35]
- 11567 OP **Design and manipulation of heterojunction for graphene composite structure photoconductive photodetector** [11567-36]
- 11567 OQ **Multi-focus image fusion based on depth estimation in HSV space** [11567-37]
- 11567 OR **Single target tracking algorithm based on multi-feature fusion** [11567-38]
- 11567 OS **Experimental demonstration of pulse-compression ghost imaging via coherent detection** [11567-39]
- 11567 OT **Research on polarized light detection of oil spill based on quaternion** [11567-42]
- 11567 OU **Infrared polarization detection method for weak target in sky background** [11567-45]
- 11567 OV **Comparison of short focal length dual-fields LWIR optical lens** [11567-46]
- 11567 OW **Reliability analysis of high precision FOG input axis misalignment angle based on FTA** [11567-51]
- 11567 OX **The influence of process parameters on the performance and reliability of optical fiber coil for high-precision FOG** [11567-52]
- 11567 OY **Optimization and application of the SVM analysis model parameters for mixed gas** [11567-53]
- 11567 OZ **Colloidal quantum dot-silicon photodetector based on TCAD simulation** [11567-54]
- 11567 10 **Infrared characteristics of the solar panel** [11567-55]
- 11567 11 **Image denoising via adaptive dictionary learning based on single-pixel imaging** [11567-56]

- 11567 12 **Method for estimating operating distance of IR imaging system under sea surface background** [11567-57]
- 11567 13 **Research on tracking and filtering technology of high-speed target in near space** [11567-58]
- 11567 14 **Algorithm research on image processing for crack identification of round wood** [11567-60]
- 11567 15 **First-order optics analysis for off-axis reflective optical antenna in laser communication system** [11567-61]
- 11567 16 **Research on image registration and enhancement of GF-4 sequence images in low SNR small target detection** [11567-62]
- 11567 17 **Research on sea surface slow target detection technology in complex sea conditions** [11567-64]
- 11567 18 **UAV target saliency detection based on frequency domain transform** [11567-65]
- 11567 19 **Imaging through the turbid and turbulent atmosphere in the visible-infrared band** [11567-66]
- 11567 1A **Research on frequency-modulated continuous-wave laser interference fiber optic pressure sensor** [11567-68]
- 11567 1B **Temperature and H<sub>2</sub>O concentration measurements for a hybrid rocket motor plume using a single mid-infrared tunable diode laser** [11567-71]
- 11567 1C **A novel optical method for doubling the sensitivity of fiber-optic gyroscopes** [11567-73]
- 11567 1D **Design and analysis of imaging lidar system based on polarization modulation** [11567-74]
- 11567 1E **Research status of laser active imaging detection** [11567-75]
- 11567 1F **Application of image matching in pathological image diagnosis of breast masses** [11567-76]
- 11567 1G **Optimized design of photodiode amplifier circuit and its application in gas sensing** [11567-85]
- 11567 1H **A non-contact dynamic attitude measurement system based on 3D oblique laser Doppler vibrometers** [11567-92]
- 11567 1I **A denoising method based on CNN for the measurement of far-field focal spot of high power laser using Schlieren method** [11567-98]
- 11567 1J **Research on photoelectric PS plate surface scanning device** [11567-100]
- 11567 1K **Radar micro-Doppler signatures of small UAVs** [11567-102]

- 11567 1L **Dynamic determining method of infrared radiation characteristics based on flight parameters** [11567-104]
- 11567 1M **The analysis of cross-matching constraint mechanism based on the satellite joint observation** [11567-105]
- 11567 1N **Super-wide FOV reversed telephoto lens design for camera** [11567-106]
- 11567 1O **Review on the technology development of optical imaging system based on monolithic multisurface optics** [11567-110]
- 11567 1P **RCPID: retina color perception-based image dehazing** [11567-111]
- 11567 1Q **The design of image processing software based on UAV remote sensing platform** [11567-114]
- 11567 1R **Research and application of spectral reconstruction technology based on periodic structure** [11567-115]
- 11567 1S **Calibration of reference interferometer for FMCW lidar based on frequency comb** [11567-116]
- 11567 1T **Design of the synchrotron light spot measurement system based on Fresnel zone plate** [11567-117]
- 11567 1U **Study on the body temperature distribution characteristics of near-space hypersonic vehicles** [11567-119]
- 11567 1V **A visible polarization image fusion algorithm based on NSST transform** [11567-121]
- 11567 1W **Visual anomaly detection by distributed deep learning** [11567-122]
- 11567 1X **Design of a 16 times visible light continuous zoom TV lens component system** [11567-123]
- 11567 1Y **Design of a laser temperature controller and its application in absorption spectral based gas sensing** [11567-124]
- 11567 1Z **Electrical performance improvement using nano-oxide thin films deposited via atomic layer deposition on microchannel plates** [11567-125]
- 11567 20 **Camera calibration based on phase calibration targets** [11567-126]
- 11567 21 **Matrix capsule network for hyperspectral image classification** [11567-128]
- 11567 22 **Simulation and application of a 3D Stokes model to the human polarized light perception optical phenomena** [11567-131]
- 11567 23 **Design and implementation of an improved unsharp masking real-time image enhancement method based on FPGA** [11567-132]
- 11567 24 **An endmember extraction method based on PCA and a new SGA algorithm** [11567-134]

- 11567 25 **The camera control technology of high reliability and multichannel imaging** [11567-136]
- 11567 26 **Research on in-situ oxidation of the copper covered by graphene** [11567-138]
- 11567 27 **Maintenance of self-compensated state in a K-Rb-<sup>21</sup>Ne atomic comagnetometer via manipulation of time-varying pump light and photoelectric feedback control** [11567-139]

## **Part Two**

- 11567 28 **Exoplanet detection methods and transit spectrometer equipment of astronomical telescopes** [11567-140]
- 11567 29 **Study on the photometric characteristics of CCR for space autonomous RVD** [11567-143]
- 11567 2A **Based on improved curvature filters surface reconstruction** [11567-144]
- 11567 2B **High precision synchronous detection method for multi-gas using the least square fitting** [11567-145]
- 11567 2C **Data processing of optical off-axis CMM** [11567-146]
- 11567 2D **Design of infrared target detection system based on image fusion** [11567-147]
- 11567 2E **Research progress of fiber optic imaging elements** [11567-149]
- 11567 2F **Design of the shaping system of a special-shaped infrared radiation source for photoacoustic spectroscopy** [11567-151]
- 11567 2G **Research on visualization method of high dynamic range infrared image based on M-CLAHE** [11567-152]
- 11567 2H **Multi-fields coupling simulation and verification in cryogenic lens of infrared remote sensor** [11567-154]
- 11567 2I **Design and analysis of a kind of kinematic supporting structure for space mirror** [11567-155]
- 11567 2J **Design of elimination image rotation algorithm based on photoelectric tracking platform** [11567-156]
- 11567 2K **A target modeling method for LADAR target simulator** [11567-160]
- 11567 2L **Measurement of secondary electron emission yield on the surface of lead silicate glass by time of flight (ToF)** [11567-161]
- 11567 2M **Structured light stereo vision system research** [11567-165]

- 11567 2N **Remote sensing image scene classification using deep combinative feature learning**  
[11567-166]
- 11567 2O **Research on dynamic holographic microscopic imaging method for deep-sea in situ detection**  
[11567-167]
- 11567 2P **Pixel-based multichannel optical narrow band filter array** [11567-170]
- 11567 2Q **High-resolution shape from focus based on line scan imaging** [11567-172]
- 11567 2R **Research on image preprocessing techniques needed for long-distance camera scanning  
Fourier ptychographic imaging** [11567-173]
- 11567 2S **SPGD algorithm optimization based on Adam optimizer** [11567-174]
- 11567 2T **Research on angle combination of polarizer and quarter-wave plate for full-stokes polarization  
imaging detection** [11567-177]
- 11567 2U **A phase retrieval method for fringe projection profilometry based on the phase pyramid**  
[11567-180]
- 11567 2V **Position sensitive micro-channel plate based photon counting three-dimensional imaging for  
long space objects: simulation and characteristics analysis** [11567-181]
- 11567 2W **Data acquisition system of linear array CCD based on ARM** [11567-182]
- 11567 2X **Stabilization technology for two-axis two-gimbal photoelectric platform** [11567-183]
- 11567 2Y **Research on the linear responsivity of TDICCD camera in visible light** [11567-185]
- 11567 2Z **A retractable infrared and laser fusion target** [11567-187]
- 11567 30 **Inversion analysis of atmosphere turbulence profile from differential column image motion lidar**  
[11567-188]
- 11567 31 **Design of a relative motion simulation equipment with two independent and controllable  
azimuth axes** [11567-189]
- 11567 32 **Research on the influence of weather conditions on the detection performance of airborne  
MWIR imaging system** [11567-191]
- 11567 33 **Joint chromatic aberration correction and color fringe removal for variable aperture optical  
system** [11567-192]
- 11567 34 **Implementation of a high precision star centroid extraction algorithm based on hardware  
platform** [11567-193]
- 11567 35 **License plate photo recognition technology based on micro-nano filter** [11567-194]



- 11567 36 **Research on a pose measurement method of binocular vision based on a coplanar target** [11567-195]
- 11567 37 **Study on properties of transition metal oxide borate glass** [11567-197]
- 11567 38 **An improved method of corner point extraction used in grating projection phase measurement** [11567-199]
- 11567 39 **Research on dynamic calibration method for local reference based on hull deformation compensation** [11567-201]
- 11567 3A **A dynamic range compression algorithm of infrared image based on neighborhood feature** [11567-202]
- 11567 3B **Study on resolution characteristic of bistatic RCS measurement based on ambiguity function** [11567-204]
- 11567 3C **Research on the testing of optical free form surface with CMM** [11567-205]
- 11567 3D **Review on hull deformation measurement methods** [11567-206]
- 11567 3E **Laser detection technology based on wavefront measurement** [11567-207]
- 11567 3F **Research on precise positioning technology based on laser active reconnaissance** [11567-208]
- 11567 3G **Optimization design of multifunctional xenon lamp trigger** [11567-209]
- 11567 3H **UAV aerial image defogging based on optimum of quality evaluation** [11567-210]
- 11567 3I **Research on IR radiation characteristics detection about dynamic system exhaust plume** [11567-211]
- 11567 3J **The distortion correction algorithm applied on wide field of view space plane camera and the verification test** [11567-212]
- 11567 3K **Non-spherical surface simulation processing based on wheel polishing technology** [11567-213]
- 11567 3L **Dual-focal camera HDR imaging based on convolutional neural network** [11567-215]
- 11567 3M **Pointing design and testing of corner reflector** [11567-216]
- 11567 3N **Research on fast target positioning algorithm for air-to-ground photoelectric tracking platform** [11567-217]
- 11567 3O **Research on the calibration technique of the low-light-level remote sensing camera** [11567-219]
- 11567 3P **An aerial focusing method based on focusing window selection and variable threshold focusing evaluation function in frequency domain** [11567-220]

- 11567 3Q **Micro-nano scale particle defects on micro channel plate field emission effect and control technology research [11567-221]**
- 11567 3R **Radiance uniformity measurement of a miniaturized integrating sphere light source for microscope radiance responsivity calibration [11567-223]**
- 11567 3S **Measuring OAM states of Bessel vortex beams by using an elliptical aperture covering the partial azimuth angle [11567-228]**
- 11567 3T **Research on SINS/DVL integrated navigation algorithm affected by ocean current [11567-229]**
- 11567 3U **Triangle star identification algorithm based on hash map [11567-230]**
- 11567 3V **Measurement error of spatial frequency response based on sinusoidal Siemens Star [11567-231]**
- 11567 3W **Research on real time tracking algorithm of multispectral mosaic image based on the fast DSST algorithm [11567-232]**
- 11567 3X **Research on error analysis and elimination technology of non-contact measurement technology in anti-vignetting glass detection [11567-233]**
- 11567 3Y **Optimized design of 4H-SiC UMOSFET for high breakdown voltage [11567-234]**
- 11567 3Z **Design of concentric multiscale optical system for long-wave infrared band [11567-235]**
- 11567 40 **The up-conversion luminescence in the Er<sup>3+</sup>/Yb<sup>3+</sup>/Tm<sup>3+</sup> tri-doped tellurite glass microsphere coupled by the tapered fiber [11567-236]**
- 11567 41 **A color correction method in uniform color space [11567-237]**
- 11567 42 **Study of laser beam pointing stability measuring system based on F-theta lens [11567-238]**
- 11567 43 **Block-based compressed sensing algorithm for image compressed and transmission in visible spectral remote sensing imaging system [11567-239]**
- 11567 44 **A large imaging-depth SSOCCT system with one reference arm [11567-240]**
- 11567 45 **The optimized method of pan-sharpening fusion based on pyramid model [11567-243]**
- 11567 46 **High-accuracy multi-step eigenvalue calibration method for Mueller matrix polarization imaging system [11567-244]**
- 11567 47 **3D surface morphology measurement using improved laser speckle interferometry in presence of white light background [11567-248]**
- 11567 48 **Study on energy type laser active interference pulsed laser fuze [11567-249]**

- 11567 49 **Research on application technology of space detection based on large aperture infrared target characteristic measurement** [11567-250]
- 11567 4A **Research progress of LIDAR system based on optical phased array technology** [11567-251]
- 11567 4B **A review of studies on the infrared remote sensing characteristics of hypersonic cruise vehicles** [11567-254]
- 11567 4C **Effect of acid dissolution process on imaging quality of large cross section flexible image bundles** [11567-255]
- 11567 4D **Research progress of shipIRST system** [11567-256]
- 11567 4E **Time-multiplexed photon-number-resolving low-level light detection at 850 nm using a Si-APD single photon detector** [11567-258]
- 11567 4F **New spectral polarization imaging system based on optical fiber imaging** [11567-259]
- 11567 4G **A real-time algorithm for foreign objects debris detection on airport runways** [11567-263]
- 11567 4H **Functional test of hanging fiber detection and video monitor system for perimeter security** [11567-266]
- 11567 4I **The design of 2D dynamic photoelectric microscope applied in the abbe comparator** [11567-269]
- 11567 4J **Mathematical model of sub-aperture field imaging system** [11567-270]
- 11567 4K **Design on indoor light environment for a shadowless space** [11567-271]
- 11567 4L **Image restoration parameters adaptive selection algorithm basing on sparse representation model** [11567-274]
- 11567 4M **Towards high-resolution undersampled single-pixel imaging: a neural network perspective** [11567-277]
- 11567 4N **Design and application of portable full-band target simulator** [11567-278]
- 11567 4O **Design of optical axis detection equipment for wide temperature range based on composite light source** [11567-279]

